

Table des matières

Accès console avec IVM

```
lsmap -all  
mkvt -id x
```

Backuper la conf (NFS)

```
bkconsdata -r nfs -n nfs_server_name -l Nfs_mount_point
```

Trouver la HMC rattachée à une LPAR

```
lsrsrc IBM.ManagementServer |grep -w Hostname|awk '{print "nslookup  
"$NF}'|sh |awk '/Name/ {print $NF}'
```

Lister les Px

```
lssyscfg -r sys -F name
```

Lister les machines gérées

```
lssyscfg -r lpar -m parka9002902-9117-570-65D67EB -F name
```

Lister les cartes Ethernet et fibres

```
lshwres -r io --rsubtype slot -m parka9002902-9117-570-65D67EB |grep  
$lpar|grep Eth|awk -F"drc_name=" '{print $2}'  
lshwres -r io --rsubtype slot -m parka9002902-9117-570-65D67EB |grep  
$lpar|grep Fib|awk -F"drc_name=" '{print $2}'
```

Créer une partition

```
mksyscfg -r lpar -m parka7213136-9117-MMA-066CC64 -i  
'name=machine,profile_name=default_profile, \  
lpar_env=aixlinux,  
min_mem=2048,desired_mem=4096,max_mem=8192,proc_mode=shared,min_proc_units=0  
.1, \  
desired_proc_units=1.0,max_proc_units=2.0,\  
min_procs=1,desired_procs=1,max_procs=2,sharing_mode=uncap,uncap_weight=128,  
boot_mode=norm'
```

Info mémoire par parka

```
for SYS in `lssyscfg -r sys -F name`
do
echo --$SYS--
lshwres -m $SYS -r mem --level sys -F
installed_sys_mem:configurable_sys_mem:curr_avail_sys_mem
echo
done
```

Info CPU par parka

```
for SYS in `lssyscfg -r sys -F name`
do
echo --$SYS--
lshwres -m $SYS -r proc --level sys -F
installed_sys_proc_units:configurable_sys_proc_units:curr_avail_sys_proc_uni
ts
echo
done
```

Répartition mémoire par parka et parva

```
for SYS in `lssyscfg -r sys -F name`
do
echo --$SYS--
lshwres -m $SYS --level lpar -r mem -F "lpar_name:curr_mem"
echo
done
```

Répartition CPU par parka et parva

```
for SYS in `lssyscfg -r sys -F name`
do
echo --$SYS--
lshwres -m $SYS -r proc --level lpar -F
lpar_name:lpar_id:curr_proc_mode:curr_procs:curr_proc_units:curr_sharing_mod
e:run_uncap_weight
echo
done
```

Relancer le démon rsct

```
/usr/sbin/rsct/bin/rmcctrl -z
```

```
/usr/sbin/rsct/bin/rmcctrl -A
```

Rédémarrer une partoché

```
chsysstate -r lpar -o shutdown --immed --restart -n FR1-A-V-1114-085
```

Modifier le profil

```
hscroot@FR6-A-P-1115-142:~> chsyscfg -m FR6-A-P-1115-139 -r prof -i  
'name=default_profile,lpar_id=3,"virtual_scsi_adapters=27/client/1//27/1"'
```

⇒ peut servir à ajouter un vscsi d'un autre vios à un vios.

HMC commands

<http://www.unixwerk.eu/aix/hmc-howto.html>

Lister ressources virt. ethernet

```
lshwres -r virtualio --subtype eth --level lpar -m C1BulM6P7-sedag --filter  
"lpar_names=h1a1omg7ee"
```

From:
<https://unix.ndlp.info/> - **Where there is a shell, there is a way**

Permanent link:
https://unix.ndlp.info/doku.php/informatique:nix:ibm_ibm_hmc

Last update: **2015/12/17 08:03**

