

Table des matières

Vérifier si une base est en archivelog 3

Vérifier si une base est en archivelog

```
oracle@machine::9.2.0:/apps/oracle/ export ORACLE_SID=SOMESID
oracle@machine:SOMESID:9.2.0:/apps/oracle/ sqlplus "/ as sysdba"
```

```
SQL*Plus: Release 9.2.0.7.0 - Production on Mon Jul 10 13:58:57 2006
```

```
Copyright (c) 1982, 2002, Oracle Corporation. All rights reserved.
```

```
Connected to:
Oracle9i Enterprise Edition Release 9.2.0.7.0 - 64bit Production
With the Partitioning, Oracle Label Security, OLAP and Oracle Data Mining options
JServer Release 9.2.0.7.0 - Production
```

```
SQL> select name,log_mode from v$database;
```

NAME	LOG_MODE
SOMESID	NOARCHIVELOG

```
SQL> exit
Disconnected from Oracle9i Enterprise Edition Release 9.2.0.7.0 - 64bit Production
With the Partitioning, Oracle Label Security, OLAP and Oracle Data Mining options
JServer Release 9.2.0.7.0 - Production
```

From:
<https://unix.ndlp.info/> - **Where there is a shell, there is a way**

Permanent link:
https://unix.ndlp.info/doku.php/informatique:base_de_donnees:verifier_si_une_base_est_en_archivelog

Last update: **2009/06/29 21:04**