Table des matières

lpar2rrd

http://www.lpar2rrd.com/

VP-to-entitlement ratio

Ideally the ratio should be 2.5 or less. Anything above 4.0 is performance unfriendly, especially on multi-node systems (770 and above).

How to estimate the number of virtual processors per uncapped shared LPAR:

The first step would be to monitor the utilization of each partition and for any partition where the average utilization is ~100%, then add one virtual)processors. (use capacity of the already configured virtual processors before adding more

If the peak utilization is well below 50%, then look at the ratio of virtual processors to configured entitlement and if the ratio is > 1, then consider reducing the ratio. (In any case if there are too many virtual processors configured, AIX can "fold" those processors.)

AIX monitors the utilization of each virtual PPUs will be dispatched. (If utilization of an PLPAR, and if utilization goes below 50%, AIX will start folding down the virtual CPUs so that fewer virtual CPUs will be dispatched. (If utilization goes beyond 50% AIX starts unfolding virtual CPUs.)

Considerations for Virtual Processor (VP) and Entitled Capacity:

- Lpars that require high performance (such as critical database) can be forced to get the best resources by activating the critical LPAR first prior to activating any other LPARs including VIO Server.

- The best practice for LPAR entitlement would be setting entitlement close to average utilization and let the peak addressed by additional uncapped capacity. (exceptions could be LPARs with higher priority)

- For each shared LPAR the number of VPs must be less than (or equal) to the number of cores of the shared pool

- Shared uncapped LPARS with too low VPs will not cover Production Need (VP number is a limit for uncapped LPARs)

- When AIX folding is turned off it can happen that PhysC (physical cores used) is high, but AIX shows high percentage of idle time. (This is because unused Virtual Processors are also assigned to cores, but they are not doing any work at all.)

Checking how many Virtual Processors are active:

root@bb_lpar:/ # lpan Online Virtual CPUs Maximum Virtual CPUs Minimum Virtual CPUs Desired Virtual CPUs	rstat -i grep Vi	rt : 2 : 8 : 1 : 2	<we 2="" configured<="" have="" processors="" td="" virtual=""></we>
<pre>root@bb_lpar:/ # bind The available process root@bb_lpar:/ # eche</pre>	lprocessor -q sors are: 0 1 2 3 o vpm kdb	4 5 6 7	<this (4="" active="" processor)<="" shows="" smt="4" td="" threads="" virtual=""></this>
0 0 ACTIVE 1 0 ACTIVE 2 0 ACTIVE 3 0 ACTIVE 4 0 DISABLED 5 11 DISABLED 6 11 DISABLED 7 11 DISABLED	0 AWAKE 0 AWAKE 0 AWAKE 0 AWAKE 0 AWAKE 0 SLEEPING 0 SLEEPING 0 SLEEPING	00000000000000 00000000 00 00000000000000 00000000 00 00000000000000 00000000 00 00000000000000 00000000 00 00000000000000 00000000 00 00000000000000 00000000 00 00000000000000 00000000 00 000000000000000 000000000 00 0000000000000000 00000000000000 00 000000000000000000000000000000000000	<4 lines are DISABLED, so 1 Virt. proc. is inactive (folding)

SMT

threads = VP x (SMT threads par processeur) = logical CPUs

Soit la partoche ci-dessous :

root@partoche:/root # lparstat -i |grep Virtual Online Virtual CPUs : 3 Maximum Virtual CPUs : 6 Minimum Virtual CPUs : 1 Desired Virtual CPUs : 3

root@partoche:/root # smtctl

This system is SMT capable. This system supports up to 4 SMT threads per processor. SMT is currently enabled.

Where there is a shell, there is a way - https://unix.ndlp.info/

SMT boot mode is not set. SMT threads are bound to the same virtual processor.													
proc0 has 4 SMT threads. Bind processor 0 is bound with proc0 Bind processor 1 is bound with proc0 Bind processor 2 is bound with proc0 Bind processor 3 is bound with proc0													
proc4 has 4 SMT threads. Bind processor 4 is bound with proc4 Bind processor 5 is bound with proc4 Bind processor 6 is bound with proc4 Bind processor 7 is bound with proc4													
proc8 has 4 SMT threads. Bind processor 8 is bound with proc8 Bind processor 9 is bound with proc8 Bind processor 10 is bound with proc8 Bind processor 11 is bound with proc8													
Topas Mon	itor for h	ost:	parto	oche		EVENTS/QUE	UES	FILE/TTY					
Fri Nov 27	15:50:05	2015	Inte	rval: 2	2	Cswitch	1323 4913	Readch 1815.1K					
CPU User ^s	s Kern%	Wait%	Idle%	Physc		Reads	574	Rawin 0					
0 81.9	9 16.7	1.2	0.2	0.41		Writes	363	Ttyout 356					
2 0.0	0 1.0	0.0	99.0	0.08		Forks	6	Igets 0					
3 0.0) 1.0	0.0	99.0 56.6	0.08		Execs	10	Namei 469 Dirblk 0					
5 0.0	31.7	0.0	68.3	0.00		Waitqueue	0.0	DIIDIK U					
1 0.0	0.9	0.0	99.1	0.08		nurequeue	0.0	MEMORY					
6 0.0	0.3	0.0	99.7	0.00		PAGING		Real,MB 24576					
11 0.0	0.0	0.0	100.0	0.01		Faults	1554	% Comp 90					
7 0.0	0.3	0.0	99.7	0.00		Steals	Θ	% Noncomp 1					
8 0.0) /4.6	0.0	25.4	0.01		Pgspin	0	% Client I					
9 0.0	0 0 0	0.0	97.7	0.01		PageTn	0	PAGING SPACE					
10 011	,	0.0	10010	0.01		PageOut	Ö	Size,MB 25600					
Network H	(BPS I-P	ack O	-Pack	KB-In	KB-Out	Sios	Θ	% Used 2					
Total 2	18.6 34	6.0	329.9	92.1	126.5			% Free 98					
						NFS (calls	/sec)						
Disk Bu	JSY% K	BPS	145 1	(B-Read	KB-Writ	SerV2	0	WPAR Activ 0					
TOLAL	2.4 212	0.9	220.0	1040.0	460.4	SerV3	0	Press: "h"-heln					
FileSyster	n K	BPS	TPS H	B-Read	KB-Writ	CliV3	Ö	"q"-quit					
Total		2.2K	331.3	1.7K	486.3	SerV4	Θ						
						CliV4	Θ						
Name	PID	CPU%	PgSp	0wner									
oracle	9830502	15.1	6.7	orair3									
oracle	26411184	10.0	14.0	orair3									
oracle	6684822	10.0	6.7	orair3									
enserver	29425668	1.3	56.3	ir3adm									
oracle	16580828	0.6	26.8	ir3adm									
oracle	27132004	0.4	8.0	ir3adm									
bgscolle	11403318	0.2	3.3	bmcpor									
sapstart	16187400	0.2	22.3	ir3adm									
init Detrolle	1	0.1	0.8	root									
ratrolAg	3211376	0.0	15.7	patrol									
lrud	262152	0.0	0.0	root									
ail	1769526	0.0	0.9	root									
getty	4194474	0.0	0.6	root									
nfssync_	3604592	0.0	0.7	root									
random	4587558	0.0	0.4	root									
vmmd	458766	0.0	0.8	root									
nfsd	4915360	0.0	1.8	root									
udaemon	/4/1354	0.0	1.8	root									

2024/05/16 23:58

From: https://unix.ndlp.info/ - Where there is a shell, there is a way

Permanent link: https://unix.ndlp.info/doku.php/informatique:nix:ibm:ibm_aix_powervm:configuration

Last update: 2015/11/27 15:55