

HP-UX support matrix



Table of contents

| | |
|---|----|
| HP-UX 11i version support on HP Integrity servers | 3 |
| HP Integrity servers | 3 |
| HP Integrity Superdome—both HP 9000 and Integrity Superdome servers are covered under solution product A5200A | 8 |
| HP Integrity Superdome 2..... | 9 |
| HP-UX 11i version support on HP 9000 Servers | 10 |
| HP 9000 Systems | 10 |
| HP 9000 Superdome—both HP 9000 and Integrity Superdome servers are covered under solution product A5200A | 17 |
| Revision history | 18 |

Notice of use

The tables on the following pages contain information about HP-UX 11i versions and lifecycles dates for HP 9000 and HP Integrity servers. This document covers all versions of HP-UX 11i currently supported.

This is not an authoritative document. Please check with your HP Representative or HP Partner with any questions. For the latest version of this support matrix, please refer to hp.com/go/hpuxservermatrix.

Contents and specifically all future dates are subject to change without notice. HP is in no way obligated to provide support until the dates listed in this document.

HP-UX 11i version and date information (Note: Integrity servers are not supported on HP-UX 11.0 and 11i version 1)

| HP-UX 11i version | HP-UX 11i v1 (B.11.11), HP 9000 only | HP-UX 11i v1.6 (B.11.22), HP Integrity only | HP-UX 11i v2 (B.11.23), HP 9000, and HP Integrity | HP-UX 11i v3 (B.11.31), HP 9000, and HP Integrity |
|---|--|---|--|--|
| HP-UX 11i update (fusion) releases | Jun-01, Sept-01, Dec-01, Mar-02, Jun-02, Sept-02, Dec-02, Mar-03, Jun-03, Sept-03, Dec-03, Jun-04, Dec-04, Sept-05, Dec-06 | N/A | Sept-04, May-05, Dec-05, Mar-06, Jun-06, Sept-06, Jun-07, Dec-07, Jun-08 | Sept-07, Mar-08, Sept-08, Mar-09, Sept-09, Mar-10, Sept-10, Mar-11, Sept-11, Mar-12, Sept-12, Mar-13, Mar-14 |
| HP-UX 11i introduction date (first release in version) | 01-Dec-00 | 29-Jun-02 | 01-Sep-03 | 20-Feb-07 |
| HP-UX 11i ship date (first release in version) | 01-Dec-00 | 29-Sep-02 | 29-Sep-03 | 20-Feb-07 |
| HP-UX 11i obsolescence date (last dated software offered for sale) | 31-Dec-09 ¹ | 30-Apr-04 | 31-Dec-10 ² | HP 9000: 31-Dec-14 |
| End of factory support—Product engineering no longer available from the HP factory. Support without sustaining engineering will be offered for an additional duration at this time for v1 and v2. | 31-Dec-15 | Technology release: customers transitioned to 11.23 | 31-Dec-15 ³ | At least through 31-Dec-20 (HP 9000) and at least through 31-Dec-23 (HP Integrity) |

¹ Final planned Quality Pack (QPK) provided for HP-UX 11i v1 at this time

² Final planned QPK provided for HP-UX 11i v2 at this time

³ Previous Version Support with Sustaining Engineering (PVS w SE) is offered for HP-UX 11i v1 and 11i v2 for the period 01-Jan-14 to 31-Dec-15. Previous Version Support without Sustaining Engineering (PVS w/o SE) will be offered for HP-UX 11i v1 and 11i v2 for the period 01-Jan-16 until at least 31-Dec-17.

Older HP-UX releases

| Public name | Lab name | Release date | Off CPL (obsolescence) | End of support |
|--------------------------------------|----------|--------------------------------|--|---|
| HP-UX 10.20 (HP 9000) | 10.20 | Aug-96 | Jun-02 | Jun-03 |
| HP-UX 11.00 (HP 9000 only) | 11.0 | Nov-97 | Mar-04 | Dec-06 |
| HP-UX 11i v1 (HP 9000 only) | 11.11 | Dec-00 | Dec-09 | At least through Dec-17 ³ |
| HP-UX 11i v2 (HP 9000 and Integrity) | 11.23 | Oct-03 (Oct-04 for HP 9000) | Dec-10 | At least through Dec-17 ³ |
| HP-UX 11i v3 (HP 9000 and Integrity) | 11.31 | Feb-07 | HP 9000: Dec-14; HP Integrity: At least through Dec-17 | At least through Dec-20 (HP 9000) and at least through Dec-23 |

HP-UX 11i version support on HP Integrity servers

HP Integrity servers

HP Integrity server support and HP-UX 11i support by version and server model.

Find HP Superdome information in the Integrity or HP 9000 Superdome sections of this document.

| HP Integrity server specifics with introduction and obsolescence dates (last date server offered for sale). | | | | | | Further service extensions are possible beyond the minimum support commitment ⁴ | Versions of HP-UX 11i supported on HP Integrity servers configured with Intel® Itanium® microprocessors | | |
|---|--------------------------------------|-------------------|--|-------------------|---|--|---|---|---|
| Server model (rows in order by server model) | Product number | Processor type(s) | Chipset/processor specifics | Introduction date | Obsolescence date (last date server available for sale—off CPL) | | HP-UX 11i v2 (B.11.22) HP Integrity only | HP-UX 11i v2 (B.11.23), HP 9000, and HP Integrity | HP-UX 11i v3 (B.11.31), HP 9000, and HP Integrity |
| BL60p | AD000A AD106A | Itanium® | Itanium 2 (1.6 GHz with 3 MB L3 cache and 200 MHz FSB)/Mad9M/zx1 | 07-Nov-05 | 01-Jan-08 | 5 years after obsolescence date | No | Yes | No |
| BL860c | AD323A AD217A AD217B AD323B | Itanium | 2p/2c 1.6 GHz/12 MB 2p/4c 1.4 GHz/12 MB 2p/4c 1.6 GHz/18 MB | 15-Feb-07 | 30-Jun-11 | 5 years after obsolescence date | No | Yes | Yes |
| BL870c | AH232A | Itanium | 1.42 GHz/12 MB 1.6 GHz/18 MB 1.6 GHz/24 MB | 22-Jan-08 | 30-Jun-11 | 5 years after obsolescence date | No | Yes | Yes |
| BL860c i2 ⁵ | AD399A | Itanium | 2c 1.6 GHz/10 MB 4c 1.33 GHz/16 MB 1.6 GHz/20 MB 1.73 GHz/24 MB | 27-Apr-10 | 31-Jan-14 | 5 years after obsolescence date | No | No | Yes |
| BL870c i2 ⁵ | AH383A AM329A | Itanium | | 27-Apr-10 | 31-Jan-14 | 5 years after obsolescence date | No | No | Yes |
| BL890c i2 ⁵ | AH384A AM330A | Itanium | | 27-Apr-10 | 31-Jan-14 | 5 years after obsolescence date | No | No | Yes |

⁴ Please contact your local HP support representative for detailed information on end of server support dates.

⁵ The Integrity i2 server blades and Integrity rx2800 i2 servers configured with HP-UX have an obsolete date of 31-Jan-14 as noted. These Integrity i2 servers will continue to be offered with OpenVMS with a planned obsolesce date of 31-Dec-15. HP-UX is offered with the HP Integrity i4 servers.

HP Integrity servers (continued)

| HP Integrity server specifics with introduction and obsolescence dates (last date server offered for sale). | | | | | | Further service extensions are possible beyond the minimum support commitment ⁴ | Versions of HP-UX 11i supported on HP Integrity servers configured with Intel® Itanium® microprocessors | | |
|---|------------------|-----------------------------------|---|-------------------|---|--|---|---|---|
| Server model (rows in order by server model) | Product number | Processor type(s) | Chipset/processor specifics | Introduction date | Obsolescence date (last date server available for sale—off CPL) | Minimum support commitment | HP-UX 11i v2 (B.11.22) HP Integrity only | HP-UX 11i v2 (B.11.23), HP 9000, and HP Integrity | HP-UX 11i v3 (B.11.31), HP 9000, and HP Integrity |
| BL860c i4 | AM377A | Itanium | 8c/2.53 GHz/32 MB 8c/2.13 GHz/24 MB 4c/2.4 GHz/32 MB | 04-Dec-12 | TBD | 5 years after obsolescence date | No | No | Yes |
| BL870c i4 | AM378A AM379A | Itanium | 4c/1.73 GHz/20 MB | 04-Dec-12 | TBD | 5 years after obsolescence date | No | No | Yes |
| BL890c i4 | AM380A AM381A | Itanium | | 04-Dec-12 | TBD | 5 years after obsolescence date | No | No | Yes |
| cx2600 Telecom | AB216A | Itanium Mad6M | Itanium 2 (1.3 GHz with 3 MB integrated level 3 cache) | 05-Jan-04 | 01-Nov-06 | 5 years after obsolescence date | Yes | Yes | Yes |
| cx2620 Telecom | AB402A | Itanium Mad6M | 1.4 GHz/12 MB | 01-Oct-06 | 01-Feb-10 | 5 years after obsolescence date | | | |
| rx1600 | AB218A | Itanium Madison | | 01-Feb-04 | 01-Oct-05 | 5 years after obsolescence date | No | Yes | Yes |
| | AB219A | | | 01-Feb-04 | 01-Oct-05 | | | | |
| | A9901A | | | 01-Feb-04 | 01-Oct-05 | | | | |
| | AB310A | | | 01-Feb-04 | 01-May-05 | | | | |
| rx1620 | AB430A AB431A | Itanium | 1.3 GHz with 3 MB cache and 400 MHz FSB. Also (1.6/3/533)/Madison n9M | 01-Nov-04 | AB430A: 01-Apr-07; AB431A: 01-Oct-07 | 5 years after obsolescence date | No | Yes | Yes |
| rx1620 2X rx1620 1X Bundle Solutions | AB568A AB569A | Itanium | 1.3 GHz with 3 MB cache and 400 MHz FSB | 01-Nov-04 | 01-Feb-06 | 5 years after obsolescence date | No | Yes | Yes |
| rx2600 | AB323A | Itanium | 1.0 GHz with 1.5 MB cache | 24-Nov-03 | 01-May-05 | 5 years after obsolescence date | Yes | Yes | Yes |
| | AB329A | | | 24-Nov-03 | | | | | |
| | A6870B | | | 14-Apr-03 | | | | | |
| | AB209A | | | 16-Jun-03 | | | | | |
| | AB324A | | | 24-Nov-03 | | | | | |
| | A6873B | | | 14-Apr-03 | | | | | |
| | AB210A | | | 16-Jun-03 | | | | | |
| rx2620 | AB333A | Itanium Mad9M and Montecito | 1.3 GHz/3 MB | 01-Nov-04 | 01-Oct-07 | 5 years after obsolescence date | No | Yes | Yes |
| | AB331A | | 1.6 GHz/6 MB | 20-Dec-04 | 01-Apr-07 | | | | |
| | AB332A | 1.6 GHz/3 MB | 01-Nov-04 | 01-Oct-07 | | | | | |

HP Integrity servers (continued)

| HP Integrity server specifics with introduction and obsolescence dates (last date server offered for sale). | | | | | | Further service extensions are possible beyond the minimum support commitment ⁴ | Versions of HP-UX 11i supported on HP Integrity servers configured with Intel® Itanium® microprocessors | | | | |
|---|----------------|-----------------------------|--|-------------------|---|--|---|---|---|-----------|---------------------------------|
| Server model (rows in order by server model) | Product number | Processor type(s) | Chipset/processor specifics | Introduction date | Obsolescence date (last date server available for sale—off CPL) | Minimum support commitment | HP-UX 11i v2 (B.11.22) HP Integrity only | HP-UX 11i v2 (B.11.23), HP 9000, and HP Integrity | HP-UX 11i v3 (B.11.31), HP 9000, and HP Integrity | | |
| rx2620 Bundle Solutions | AB356A | Itanium Mad9M and Montecito | 1.6 GHz | 01-Nov-04 | 01-Feb-06 | 5 years after obsolescence date | No | Yes | Yes | | |
| | AB393A | | 1.3 GHz/3 MB | | | | | | | | |
| | AB357A | 1.3 GHz/3 MB | | | | | | | | | |
| | AB394A | 1.3 GHz/3 MB | | | | | | | | | |
| | AB386A | 1.6 GHz/3 MB | | | | | | | | | |
| | AB387A | 1.6 GHz/6 MB | | | | | | | | | |
| | AD152A | 1.4 GHz/12 MB | 01-Jul-06 | | | | | | | 01-Oct-07 | 5 years after obsolescence date |
| | AD153A | 1.6 GHz/18 MB | | | | | | | | | |
| rx2660 | AB419A | Itanium | 1.42G/12 MB | 15-Feb-07 | 01-Jul-08 | 5 years after obsolescence date | No | Yes | Yes | | |
| | AD245A | | 1.6G/6 MB | 28-Nov-07 | 01-Jul-08 | | | | | | |
| | AH234A | | 1.6G/12 MB | 01-Nov-07 | 30-Jun-12 | | | | | | |
| | AH235A | | 1.66G/18 MB | 01-Nov-07 | 30-Jun-12 | | | | | | |
| rx2800 i ⁵ | AH395A | Itanium | Itanium 9310 2c 1.6 GHz/10 MB | 15-Nov-10 | 31-Jan-14 | 5 years after obsolescence date | No | No | Yes | | |
| | AH396A | | Itanium 9320 4c 1.46 GHz/16 MB | | | | | | | | |
| | | | Itanium 9340 4c 1.6 GHz/20 MB | | | | | | | | |
| rx2800 i4 | AT101A | Itanium | 8c/2.53 GHz/32 MB 8c/2.13 GHz/24 MB | 04-Dec-12 | TBD | 5 years after obsolescence date | No | No | Yes | | |
| | AT102A | | 4c/2.4 GHz/32 MB 4c/1.73 GHz/20 MB | | | | | | | | |
| rx3600 | AB463A | Itanium | 1.42 GHz/12 MB | 01-Sep-06 | 30-Jun-12 | 5 years after obsolescence date | No | Yes | Yes | | |
| | AB596A | | 1.66 GHz/18 MB | 28-Nov-07 | | | | | | | |
| rx6600 | AB464A | Itanium | 1.42 GHz/12 MB | 01-Aug-06 | 30-Jun-12 | 5 years after obsolescence date | No | Yes | Yes | | |
| | AD132A | | 1.6 GHz/18 MB | | | | | | | | |
| | AD133A | | 1.6 GHz/24 MB | | | | | | | | |
| | AD134A | | | | | | | | | | |

HP Integrity servers (continued)

| HP Integrity server specifics with introduction and obsolescence dates (last date server offered for sale). | | | | | | Further service extensions are possible beyond the minimum support commitment ⁴ | Versions of HP-UX 11i supported on HP Integrity servers configured with Intel® Itanium® microprocessors | | |
|---|----------------|--------------------------|-----------------------------|-------------------|---|--|---|---|---|
| Server model (rows in order by server model) | Product number | Processor type(s) | Chipset/processor specifics | Introduction date | Obsolescence date (last date server available for sale—off CPL) | Minimum support commitment | HP-UX 11i v2 (B.11.22) HP Integrity only | HP-UX 11i v2 (B.11.23), HP 9000, and HP Integrity | HP-UX 11i v3 (B.11.31), HP 9000, and HP Integrity |
| rx4610 | A6153A | Itanium Merced | 733 MHz | 28-Nov-07 | 01-Aug-02 | 5 years after obsolescence date | Yes | Yes | No |
| | A6447A | | 800 MHz | | | | | | |
| rx4640 | A6961A | Itanium Mad9M | 1.3 GHz/3 MB | 01-Sep-03 | 01-Jul-04 | 5 years after obsolescence date | Yes | Yes | Yes |
| rx4640 bundles | A6962A | | 1.5 GHz/6 MB | | | | | | |
| Base | AB370A | | | 01-Apr-04 | 01-Sep-05 | | | | |
| FAST One | | | | | | | | | |
| FAST Two | AB370B | | | 01-Nov-04 | 01-Oct-07 | | | | |
| FAST One | AB530A | | 1.6 GHz/4 MB | 01-Nov-04 | 01-Feb-06 | | | | |
| FAST Four | | | | | | | | | |
| mx2 FAST | AB531A | | 1.5 GHz/4 MB | 01-Nov-04 | 01-Feb-06 | | | | |
| | AB532A | | 1.6 GHz/6 MB | 01-Nov-04 | 01-Feb-06 | | | | |
| | AB533A | | 1.6 GHz/9 MB | 01-Nov-04 | 22-Apr-06 | | | | |
| | AB373A | | mx2 | 01-Apr-04 | 16-Jan-06 | | | | |
| rx5670 | A6837A | Itanium McKinley | 900 MHz | 09-Jun-02 | 01-Nov-03 | 5 years after obsolescence date | Yes | Yes | Yes |
| | A6837B | | 1.3 GHz | 14-Apr-03 | 01-Feb-05 | | | | |
| | A6838A | Madison | 1.0 GHz | 09-Jun-02 | 23-Jun-03 | | | | |
| | A6838B | | 1.5 GHz | 14-Apr-03 | 01-Feb-05 | | | | |
| rx7620 | A7027A | Itanium Mad6M | 1.1 GHz mx2 | 15-Sep-03 | 01-Apr-07 | 5 years after obsolescence date | Yes | Yes | Yes |
| Server solution | AB201A | | 1.5 GHz/4 MB | 15-Sep-03 | 01-Apr-07 | | | | |
| 2-core FAST | AB202A | Mad9M mx2 sx1000 chipset | 1.6 GHz/6 MB | 15-Sep-03 | 01-Apr-07 | | | | |
| 4-core FAST | | | | | | | | | |
| 6-core FAST | AB203A | | | 15-Sep-03 | 01-Apr-07 | | | | |
| 8-core FAST | AB204A | | | 15-Sep-03 | 01-Apr-07 | | | | |
| 12-core FAST | | | | | | | | | |
| 16-core FAST | AB343A | | | 01-May-04 | 01-Jan-07 | | | | |
| | AB344A | | | 01-May-04 | 01-Jan-07 | | | | |

HP Integrity servers (continued)

| HP Integrity server specifics with introduction and obsolescence dates (last date server offered for sale). | | | | | | Further service extensions are possible beyond the minimum support commitment ⁴ | Versions of HP-UX 11i supported on HP Integrity servers configured with Intel® Itanium® microprocessors | | |
|---|------------------|-----------------------------------|---|-----------------------------------|---|--|---|---|---|
| Server model (rows in order by server model) | Product number | Processor type(s) | Chipset/processor specifics | Introduction date | Obsolescence date (last date server available for sale—off CPL) | Minimum support commitment | HP-UX 11i v2 (B.11.22) HP Integrity only | HP-UX 11i v2 (B.11.23), HP 9000, and HP Integrity | HP-UX 11i v3 (B.11.31), HP 9000, and HP Integrity |
| rx7640 Server solution 2-core FAST 4-core FAST 6-core FAST 8-core FAST 12-core FAST 16-core FAST | AB312A | Itanium Mad9M | Mad9M 1.6 GHz/ 6 MB L3 cache | 01-Mar-06 01-Nov-07 (Montvale) | 31-Mar-12 | 5 years after obsolescence date | No | Yes | Yes |
| | AD064A | Montecito Montvale sx2000 chipset | Montecito 1.4 GHz/ 12 MB cache | 01-Aug-07 | 31-Mar-12 | | | | |
| | AB447A | | Montecito 1.6 GHz/ 18 MB cache | | 01-Aug-07 | | | | |
| | AD242A | | Montvale 1.6 GHz/ 24 MB cache | | 31-Mar-12 | | | | |
| | AB448A | | Montvale 1.6 GHz/ 18 MB cache | | 01-Jan-11 | | | | |
| | AB449A | | | | 31-Mar-12 | | | | |
| | AB450A | | | | | | | | |
| | | | | | | | | | |
| rx8620 Server solution 2-core FAST 4-core FAST 8-core FAST 12-core FAST 16-core FAST 24-core FAST 32-core FAST | A7026A | Itanium | 1.1 GHz, 1.3 GHz, 1.5 GHz with 4 MB cache, 1.6 GHz/6 MB Madison | 15-Sep-03 | 01-Apr-07 | 5 years after obsolescence date | Yes | Yes | Yes |
| | AB236A | | | 15-Sep-03 | 01-Apr-07 | | | | |
| | AB237A | | | 15-Sep-03 | 01-Apr-07 | | | | |
| | AB238A | | | 15-Sep-03 | 01-Apr-07 | | | | |
| | AB239A | | | 15-Sep-03 | 01-Apr-07 | | | | |
| | AB240A | | | 15-Sep-03 | 01-Apr-07 | | | | |
| | AB341A | | | 01-May-04 | 01-Jan-07 | | | | |
| | AB342A | | | 01-May-04 | 01-Jan-07 | | | | |
| rx8640 Base system solution 2-core FAST 4-core FAST 8-core FAST 16-core FAST 24-core FAST 32-core FAST | AB297A | Itanium | Mad9M (1.6 GHz with 6 MB L3 cache) with sx2000 chipset, Montecito 1.4 GHz/12 MB, 1.6 GHz/18 MB, 1.6 GHz/ 24 MB Montvale | 01-Mar-06 01-Nov-07 (Montvale) | 20-Oct-12 | 5 years after obsolescence date | No | Yes | Yes |
| | AD065A | | | 01-Aug-07 | | | | | |
| | AB442A | | | 30-Mar-11 | | | | | |
| | AB443A | | | 20-Oct-12 | | | | | |
| | AB444A | | | 20-Oct-12 | | | | | |
| | AB445A | | | 15-Aug-13 | | | | | |
| | AB446A | | | 20-Oct-12 | | | | | |
| | | | | | | | | | |
| rx9610 Base server solution | A6754A A6755A | Itanium Merced | | 29-May-01 | 01-Dec-02 | 5 years after obsolescence date | No (rx9610 required HP-UX 11i v1.5) | No | No |

HP Integrity Superdome—both HP 9000 and Integrity Superdome servers are covered under solution product A5200A

HP Integrity Superdome—both HP 9000 and Integrity Superdome servers are covered under solution product A5200A.

This section presents HP Integrity Superdome Servers (with Intel Itanium microprocessors).

HP Integrity Superdome server specifics with introduction and obsolescence dates (last date server offered for sale).

All Superdome models run HP-UX 11i v2 B.11.23 and v3.

No model runs HP-UX 11i v2 B.11.22 or older releases of HP-UX.

Further service extensions are possible beyond the minimum support commitment⁴

| Cabinet/enclosure product | Cabinet capacity | Cabinet intro date | Chipset | Cell board | Chipset—cell board intro | Processor name | Processor product | Processor intro date | Processor obsolescence date—off CPL | Minimum support commitment |
|---------------------------|------------------|--------------------|------------------|---------------------------------|--------------------------|-------------------------------|-------------------|----------------------|-------------------------------------|---------------------------------|
| A6113A | 16 processors | 1-Aug-00 | sx1000 Pinnacles | A6866A sx1000 | 01-May-03 | Mad9M 1.6 GHz/6 MB cache | AD003A | 01-Dec-04 | 01-Apr-08 | 5 years after obsolescence date |
| A5201A | 32 processors | | | | | Mad6M 1.5 GHz | A6924A | 01-May-03 | 01-Apr-06 | 5 years after obsolescence date |
| A5202A | 64 processors | | | | | mx2-1 proc | AB522A | 01-Dec-04 | 01-Jan-07 | 5 years after obsolescence date |
| | | | | | | mx2-2 proc | A6868A | 01-Dec-03 | 01-Apr-06 | 5 years after obsolescence date |
| A9833A | 16 processors | 01-Feb-06 | sx2000 Arches | A9837A sx2000 Arches cell board | 01-Feb-06 | Mad9M 1.6 GHz/6 MB cache | AD003A | 01-Dec-04 | 01-Apr-08 | 5 years after obsolescence date |
| A9834A | 32 processors | | | | | Montecito 1.6 GHz/18 MB cache | AB406A | 01-Aug-06 | 01-Apr-09 | 5 years after obsolescence date |
| A9835A | 64 processors | | | | | Montecito 1.6 GHz/24 MB cache | A9840A | 01-Aug-06 | 01-Apr-09 | 5 years after obsolescence date |
| | | | | | | Montvale 1.6 GHz/18 MB cache | AD371A | 01-Nov-07 | 30-Sep-12 | 5 years after obsolescence date |
| | | | | | | Montvale 1.6 GHz/24 MB cache | AD374A | 01-Nov-07 | 30-Sep-12 | 5 years after obsolescence date |

HP Integrity Superdome 2

This section presents HP Integrity Superdome 2 servers

HP Integrity Superdome 2 server specifics with introduction and obsolescence dates (last date server offered for sale). Superdome 2 models run only HP-UX 11i v3.

Further service extensions are possible beyond the minimum support commitment⁴

| Enclosure product no. | System intro date | Enclosure capacity | Server blade | Chipset | Server blade processor | Server blade product no. | Server blade intro date | Server blade obsolescence date—off CPL | Minimum support commitment |
|-----------------------|-------------------|---|--------------|---------|---|--------------------------|-------------------------|--|---------------------------------|
| AH352A (SD2-8s) | Aug-10 | 8 server blades (2 x 4-core processors per blade) | CB900s i2 | sx3000 | Intel Itanium 9340 4c/ 1.60 GHz up to 1.73 GHz/ 20 MB cache | AM255A | Aug-10 | 31-Jan-15 | 5 years after obsolescence date |
| | | | | | Intel Itanium 9350 4c/ 1.60 GHz up to 1.86 GHz/ 24 MB cache | AM253A | Aug-10 | 31-Jan-15 | 5 years after obsolescence date |
| | | 8 server blades (2 x 8-core processors per blade) | CB900s i4 | sx3000 | Intel Itanium 9560 8c/ 2.53 GHz/32 MB | AT121A | Jan-13 | TBD | 5 years after obsolescence date |
| | | | | | Intel Itanium 9540 8c/ 2.13 GHz/24 MB | AT122A | Jan-13 | TBD | 5 years after obsolescence date |
| AH337A (SD2-16s) | Aug-10 | 8 server blades (2 x 4-core processors per blade) | CB900s i2 | sx3000 | Intel Itanium 9340 4c/ 1.60 GHz up to 1.73 GHz/ 20 MB cache | AM255A | Aug-10 | 31-Jan-15 | 5 years after obsolescence date |
| | | | | | Intel Itanium 9350 4c/ 1.60 GHz up to 1.86 GHz/ 24 MB cache | AM253A | Aug-10 | 31-Jan-15 | 5 years after obsolescence date |
| | | 8 server blades (2 x 8-core processors per blade) | CB900s i4 | sx3000 | Intel Itanium 9560 8c/ 2.53 GHz/32 MB | AT121A | Jan-13 | TBD | 5 years after obsolescence date |
| | | | | | Intel Itanium 9540 8c/ 2.13 GHz/24 MB | AT122A | Jan-13 | TBD | 5 years after obsolescence date |
| AH353A (SD2-32s) | Aug-11 | 8 server blades (2 x 4-core processors per blade) | CB900s i2 | sx3000 | Intel Itanium 9340 4c/ 1.60 GHz up to 1.73 GHz/ 20 MB cache | AM255A | Aug-10 | 31-Jan-15 | 5 years after obsolescence date |
| | | | | | Intel Itanium 9350 4c/ 1.60 GHz up to 1.86 GHz/ 24 MB cache | AM253A | Aug-10 | 31-Jan-15 | 5 years after obsolescence date |
| | | 8 server blades (2 x 8-core processors per blade) | CB900s i4 | sx3000 | Intel Itanium 9560 8c/ 2.53 GHz/32 MB | AT121A | Jan-13 | TBD | 5 years after obsolescence date |
| | | | | | Intel Itanium 9540 8c/ 2.13 GHz/24 MB | AT122A | Jan-13 | TBD | 5 years after obsolescence date |

HP-UX 11i version support on HP 9000 Servers

HP 9000 Systems

| HP 9000 System specifics with introduction and obsolescence dates (last date server offered for sale). | | | | | Further service extensions are possible beyond the minimum support commitment ⁴ | Versions of HP-UX 11i supported on HP 9000 Servers | | | | |
|--|----------------------------|-----------------------|-------------------|---------------------------|--|--|----------------------|---|---|--|
| Server model (rows in order by server model) | Product number | Processor description | Introduction date | Obsolescence date—off CPL | | Minimum support commitment | 11.0 ^{6, 7} | HP-UX 11i v1 (B.11.11) ^{7, 8} renamed as v1 on 01-Jan-03 | HP-UX 11i v2 (B.11.22), HP Integrity only | HP-UX 11i v2 (B.11.23) ^{7, 8} HP 9000, and HP Integrity |
| A180 | A5182A | PA-7300LC | 01-Oct-98 | 01-Aug-01 | 5 years after obsolescence date | 32-bit | 32 | No | No | No |
| A180C | A5183A | PA-7300LC | 01-Oct-98 | 01-Aug-01 | 5 years after obsolescence date | 32-bit | 32 | No | No | No |
| A400 (renamed rp2400 on 01-March-02) | A6109A | PA-8500 PA-8600 | 01-Jun-00 | 01-Jan-01 | 5 years after obsolescence date | 64 | 64 | No | 64 | No |
| | A6109B | | 01-Nov-00 | 04-Nov-02 | 5 years after obsolescence date | | | | | |
| A500 (see rp2450) | | | | | 5 years after obsolescence date | | | | | |
| D200 | A3262A | PA-7100LC | 01-Nov-95 | 01-Feb-98 | 5 years after obsolescence date | N/A | 32 | No | No | No |
| D210 | A3331A | PA-7100LC | 01-Nov-95 | 01-Feb-98 | 5 years after obsolescence date | N/A | 32 | No | No | No |
| D220 | A3572A | PA-7300LC | 01-Dec-96 | 01-Jun-00 | 5 years after obsolescence date | 32 | 32 | No | No | No |
| D230 | A3574A | PA-7300LC | 01-Dec-96 | 01-Jun-00 | 5 years after obsolescence date | 32 | 32 | No | No | No |
| D250 | A3332A A3333A A3343A | PA-7200 | 01-Nov-95 | 01-Feb-98 | 5 years after obsolescence date | 32 | 32 | No | No | No |
| D260 | A3474A | PA-7200 | 01-May-96 | 01-Feb-98 | 5 years after obsolescence date | 32 | 32 | No | No | No |

⁶ Since HP-UX 11.0 is the first to support 64 bits, prior versions are 32-bit only.

⁷ 32 and 64 means a 64-bit PA8x00-based system can run either 32- or 64-bit versions of HP-UX 11.x and 32- and 64-bit applications.

⁸ 64 means runs on 64-bit PA8x00 systems only, but can run 32- and 64-bit applications.

HP 9000 Systems (continued)

| HP 9000 System specifics with introduction and obsolescence dates (last date server offered for sale). | | | | | Further service extensions are possible beyond the minimum support commitment ⁴ | Versions of HP-UX 11i supported on HP 9000 Servers | | | | |
|--|------------------|-----------------------|-------------------|---------------------------|--|--|---------------------|--|---|---|
| Server model (rows in order by server model) | Product number | Processor description | Introduction date | Obsolescence date—off CPL | | Minimum support commitment | 11.0 ^{6,7} | HP-UX 11i v1 (B.11.11) ^{7,8} renamed as v1 on 01-Jan-03 | HP-UX 11i v2 (B.11.22), HP Integrity only | HP-UX 11i v2 (B.11.23) ^{7,8} HP 9000, and HP Integrity |
| D270 | A3473A A3558A | PA-8000 | 01-Oct-96 | 01-Jun-00 | 5 years after obsolescence date | 32 | 32 and 64 | No | No | No |
| D280 | A3573A A3575A | PA-8000 | 01-Aug-97 | 01-Jun-00 | 5 years after obsolescence date | 32 | 32 and 64 | No | No | No |
| D310 | A3268A | PA-7100LC | 01-Nov-95 | 01-Feb-98 | 5 years after obsolescence date | 32 | 32 | No | No | No |
| D320 | A3576A | PA-7300LC | 01-Dec-96 | 01-Sep-01 | 5 years after obsolescence date | 32 | 32 | No | No | No |
| D330 | A3578A | PA-7300LC | 01-Dec-96 | 01-Sep-01 | 5 years after obsolescence date | 32 | 32 | No | No | No |
| D350 | A3334A A3335A | PA-7200 | 01-Nov-95 | 01-Feb-98 | 5 years after obsolescence date | 32 | 32 | No | No | No |
| D360 | A3476A | PA-7200 | 01-May-96 | 01-Feb-98 | 5 years after obsolescence date | 32 | 32 | No | No | No |
| D370 | A3560A A3562A | PA-8000 | 01-Oct-96 | 01-Jun-00 | 5 years after obsolescence date | 32 and 64 | 32 and 64 | No | No | No |
| D380 | A3577A A3579A | PA-8000 | 01-Aug-97 | 01-Nov-00 | 5 years after obsolescence date | 32 and 64 | 32 and 64 | No | No | No |
| D390 | A4903A A4904A | PA-8200 | 01-Jul-98 | 01-Sep-01 | 5 years after obsolescence date | N/A | 32 and 64 | No | No | No |
| Kx00 | | PA-7200 | 01-Mar-95 | 01-Dec-96 | 5 years after obsolescence date | 32 | 32 | No | No | No |
| Kx10 | | PA-7200 | 01-Sep-95 | 01-Dec-97 | 5 years after obsolescence date | 32 | 32 | No | No | No |

HP 9000 Systems (continued)

| HP 9000 System specifics with introduction and obsolescence dates (last date server offered for sale). | | | | | Further service extensions are possible beyond the minimum support commitment ⁴ | Versions of HP-UX 11i supported on HP 9000 Servers | | | | |
|--|----------------|-----------------------|-------------------|---------------------------|--|--|---------------------|--|---|---|
| Server model (rows in order by server model) | Product number | Processor description | Introduction date | Obsolescence date—off CPL | | Minimum support commitment | 11.0 ^{6,7} | HP-UX 11i v1 (B.11.11) ^{7,8} renamed as v1 on 01-Jan-03 | HP-UX 11i v2 (B.11.22), HP Integrity only | HP-UX 11i v2 (B.11.23) ^{7,8} HP 9000, and HP Integrity |
| Kx20 | | PA-7200 | 01-Mar-96 | 01-Sep-99 | 5 years after obsolescence date | 32 | 32 | No | No | No |
| K260 | A3205A | PA-8000 | 01-Jul-96 | 01-Sep-98 | 5 years after obsolescence date | 32 and 64 | 32 and 64 | No | No | No |
| K360/K460 | A5140A | PA-8000 | 01-Jun-98 | 01-Jun-00 | 5 years after obsolescence date | 32 and 64 | 32 and 64 | No | No | No |
| | A3284A | | 01-Jul-96 | | | | | | | |
| K250/K450 | A3463A | PA-8000 | 01-Jul-96 | 01-Apr-98 | 5 years after obsolescence date | 32 and 64 | 32 and 64 | No | No | No |
| | A3464A | | | | | | | | | |
| K370/K570 | A3663B | PA-8200 | 01-Jun-98 | 01-Nov-00 | 5 years after obsolescence date | 32 and 64 | 32 and 64 | No | No | No |
| | A3641A | | 01-May-97 | | | | | | | |
| K380/K580 | A4869B | PA-8200 | 01-Jun-98 | 01-Sep-01 | 5 years after obsolescence date | 32 and 64 | 32 and 64 | No | No | No |
| | A4837A | | 01-Feb-98 | | | | | | | |
| L1000 (renamed rp5400 on 01-Nov-01) | A5576A | PA-8500 | 01-Oct-99 | 01-May-02 | 5 years after obsolescence date | 64 | 64 | N/A | See rx5400 | No |
| | A5576B | PA-8600 | 1-Dec-00 | | | | | | | |
| L1500 (renamed rp5430 on 01-Nov-01) | A6797B | PA-8600 | 01-Nov-01 | 05-Sep-05 | 5 years after obsolescence date | 64 | 64 | N/A | See rx5430 | No |
| L2000 (renamed rp5450 on 01-Nov-01) | A5191A | PA-8500 | 01-Oct-99 | 01-May-02 | 5 years after obsolescence date | 64 | 64 | N/A | See rx5450 | No |
| | A5191B | PA-8600 | 01-Dec-00 | | | | | | | |
| L3000 (renamed rp5470 on 01-Nov-01) | A6144A | PA-8600 | 01-Nov-00 | 01-Jan-02 | 5 years after obsolescence date | 64 | 64 | N/A | See rx5470 | No |
| | A6144B | | 01-Nov-01 | | | | | | | |

HP 9000 Systems (continued)

| HP 9000 System specifics with introduction and obsolescence dates (last date server offered for sale). | | | | | Further service extensions are possible beyond the minimum support commitment ⁴ | Versions of HP-UX 11i supported on HP 9000 Servers | | | | |
|--|----------------|-----------------------|-------------------|---------------------------|--|--|---------------------|--|---|---|
| Server model (rows in order by server model) | Product number | Processor description | Introduction date | Obsolescence date—off CPL | | Minimum support commitment | 11.0 ^{6,7} | HP-UX 11i v1 (B.11.11) ^{7,8} renamed as v1 on 01-Jan-03 | HP-UX 11i v2 (B.11.22), HP Integrity only | HP-UX 11i v2 (B.11.23) ^{7,8} HP 9000, and HP Integrity |
| N4000 | A3639A | PA-8500 | 01-Apr-99 | 01-Jul-00 | 5 years after obsolescence date | 64 | 64 | N/A | 64 | No |
| | A3639B | | 01-Mar-00 | 01-Nov-01 | | | | | | |
| R380 | A5176A | PA-8000/ PA-8200 | 01-Oct-98 | 01-Nov-00 | 5 years after obsolescence date | N/A | 32 and 64 | N/A | N/A | No |
| | A5177A | | 01-Oct-98 | 01-Nov-00 | | | | | | |
| R390 | A5178A, A5179A | PA-8000/ PA-8200 | 01-Oct-98 | 01-Sep-01 | 5 years after obsolescence date | N/A | 32 and 64 | N/A | N/A | No |
| rp2405 | A7121A, A7122A | PA-8700 650 MHz | 01-Sep-02 | 01-Feb-05 | 5 years after obsolescence date | 64 | 64 | N/A | 64 | No |
| rp2430 | A6889A | PA-8700 | 01-Mar-02 | 01-Feb-05 | 5 years after obsolescence date | 64 | 64 | N/A | 64 | No |
| rp2450 | A5570A | PA-8600 | 01-May-00 | 01-Jan-01 | 5 years after obsolescence date | 64 | 64 | No | 64 | No |
| | A5570B | | 01-Sep-00 | 13-Oct-03 | | | | | | |
| rp2470 | A6890A | PA-8700 | 01-Mar-02 | 01-Feb-05 | 5 years after obsolescence date | 64 | 64 | N/A | 64 | No |
| rp3410 | A7136B | PA-8800 | 12-Jul-04 | 01-Jan-06 | 5 years after obsolescence date | N/A | 64 | N/A | 64 | Yes |
| | A9954A | PA-8900 | 01-May-05 | 01-Jan-09 | | | | | | |
| rp3440 | A7137A | PA-8800 | 01-Feb-04 | 01-Jan-09 | 5 years after obsolescence date | N/A | 64 | N/A | 64 | Yes |
| | A9948A | | 19-Jul-04 | 01-Jan-06 | | | | | | |
| | A9949A | PA-8900 | 01-May-05 | 01-Jan-09 | | | | | | |
| | A9952A | | | | | | | | | |
| | A9953A | | | | | | | | | |
| rp4410 | A9955A A9956A | PA-8900 | 01-May-05 | 01-Jan-09 | 5 years after obsolescence date | N/A | 64 | N/A | 64 | Yes |

HP 9000 Systems (continued)

| HP 9000 System specifics with introduction and obsolescence dates (last date server offered for sale). | | | | | Further service extensions are possible beyond the minimum support commitment ⁴ | Versions of HP-UX 11i supported on HP 9000 Servers | | | | |
|--|--|-----------------------|--|-------------------------------------|--|--|---------------------|--|---|---|
| Server model (rows in order by server model) | Product number | Processor description | Introduction date | Obsolescence date—off CPL | | Minimum support commitment | 11.0 ^{6,7} | HP-UX 11i v1 (B.11.11) ^{7,8} renamed as v1 on 01-Jan-03 | HP-UX 11i v2 (B.11.22), HP Integrity only | HP-UX 11i v2 (B.11.23) ^{7,8} HP 9000, and HP Integrity |
| rp4440 | A7124A A7134A A7124B A7134B A9950A A9951A | PA-8800 PA-8900 | 24-Nov-03 01-Feb-04 14-Jun-04 01-May-05 | 01-Aug-04 01-Jan-06 01-Jan-09 | 5 years after obsolescence date | N/A | 64 | N/A | 64 | Yes |
| HP server rp5400 (formerly L1000) | A5576B | PA-8500 PA-8600 | 01-Dec-00 | 01-May-02 | 5 years after obsolescence date | 64 | 64 | N/A | 64 | No |
| rp5405 | A7117A A7118A A9805A | PA-8700 650 MHz | 01-Sep-02 01-Mar-03 | 01-Feb-05 | 5 years after obsolescence date | 64 | 64 | N/A | 64 | No |
| rp5430 (formerly L1500) | A6797B | PA-8600, PA-8700 | 01-Nov-01 | 05-Sep-05 | 5 years after obsolescence date | 64 | 64 | N/A | 64 | No |
| rp5450 (formerly L2000) | A5191B | PA-8500, PA-8600 | 01-Dec-00 | 01-May-02 | 5 years after obsolescence date | 64 | 64 | N/A | 64 | No |
| rp5470 (formerly L3000) | A6144B | PA-8600, PA-8700 | 01-Nov-01 | 05-Sep-05 | 5 years after obsolescence date | 64 | 64 | N/A | 64 | No |
| rp7400 | A3639C | | 01-Sep-01 | 14-Apr-03 | 5 years after obsolescence date | 64 | 64 | N/A | 64 | No |
| rp7405 | A7111A A7112A A7113A | PA-8700 650 MHz | 01-Sep-02 | 01-Jul-04 | 5 years after obsolescence date | N/A | 64 | N/A | 64 | Yes |
| rp7410 | A6752A | PA-8700 | 01-Feb-02 | 01-Feb-05 | 5 years after obsolescence date | N/A | 64 | N/A | 64 | Yes |

HP 9000 Systems (continued)

| HP 9000 System specifics with introduction and obsolescence dates (last date server offered for sale). | | | | | Further service extensions are possible beyond the minimum support commitment ⁴ | Versions of HP-UX 11i supported on HP 9000 Servers | | | | |
|--|----------------|---|-----------------------------------|-------------------------------------|--|--|---------------------|--|---|---|
| Server model (rows in order by server model) | Product number | Processor description | Introduction date | Obsolescence date—off CPL | | Minimum support commitment | 11.0 ^{6,7} | HP-UX 11i v1 (B.11.11) ^{7,8} renamed as v1 on 01-Jan-03 | HP-UX 11i v2 (B.11.22), HP Integrity only | HP-UX 11i v2 (B.11.23) ^{7,8} HP 9000, and HP Integrity |
| rp7420 | A7025A | PA-8800 1.0 GHz 900 MHz | PA-8800 1-Feb-04 PA-8900 1-May-05 | PA-8800 14-Aug-06 PA-8900 01-Mar-08 | 5 years after obsolescence date | No | Yes | No | 64 | Yes |
| | AB205A | PA-8900 1.1 GHz 1.0 GHz | | | | | | | | |
| | AB206A | | | | | | | | | |
| | AB207A | | | | | | | | | |
| | AB208A | | | | | | | | | |
| rp8400 | A6093A | PA-8700 | 01-Aug-01 | 01-Feb-05 | 5 years after obsolescence date | N/A | 64 | N/A | 64 | Yes |
| rp8420 | A6912A | PA-8800 1.0 GHz 900 MHz PA-8900 1.1 GHz 1.0 GHz | PA-8800 1-Dec-03 PA-8900 1-May-05 | PA-8800 01-Aug-06 PA-8900 01-Mar-08 | 5 years after obsolescence date | No | 64 | N/A | 64 | Yes |
| | AD006A | PA-8900 1.1 GHz 1.0 GHz | 01-May-05 | 01-Mar-08 | | | | | | |
| | AD007A | | | | | | | | | |
| | AD008A | | | | | | | | | |
| | AD009A | | | | | | | | | |
| | AD010A | | | | | | | | | |
| rp7440 | A9959A | PA-8900 1.068 GHz/533 MHz FSB | 01-Feb-07 | 01-Jan-09 | 5 years after obsolescence date | No | Yes | No | 64 | Yes |
| | AD026A | | | | | | | | | |
| | AD027A | | | | | | | | | |
| | AD028A | | | | | | | | | |
| | AD029A | | | | | | | | | |

HP 9000 Systems (continued)

| HP 9000 System specifics with introduction and obsolescence dates (last date server offered for sale). | | | | | Further service extensions are possible beyond the minimum support commitment ⁴ | Versions of HP-UX 11i supported on HP 9000 Servers | | | | |
|--|--|--------------------------------------|-------------------|---------------------------|--|--|---------------------|--|---|---|
| Server model (rows in order by server model) | Product number | Processor description | Introduction date | Obsolescence date—off CPL | | Minimum support commitment | 11.0 ^{6,7} | HP-UX 11i v1 (B.11.11) ^{7,8} renamed as v1 on 01-Jan-03 | HP-UX 11i v2 (B.11.22), HP Integrity only | HP-UX 11i v2 (B.11.23) ^{7,8} HP 9000, and HP Integrity |
| rp8440 | A9958A AD031A AD032A AD033A AD034A AD035A | PA-8900 1.068 GHz/ 533 MHz FSB | 01-Feb-07 | 01-Jan-09 | 5 years after obsolescence date | No | Yes | No | 64 | Yes |
| T500 | A2339A | PA-7100 | 01-Oct-93 | 01-Nov-97 | 5 years after obsolescence date | 32 | 32 | N/A | N/A | No |
| T520 | A3310A | PA-7150 | 01-Sep-95 | 01-Feb-98 | 5 years after obsolescence date | 32 | 32 | N/A | N/A | No |
| T600 | A3329A | PA-8000 | 01-Apr-97 | 01-Aug-99 | 5 years after obsolescence date | 32 and 64 | 32 and 64 | N/A | N/A | No |
| V2200 | A3726A | PA-8200 | 01-May-97 | 01-Sep-99 | 5 years after obsolescence date | 64 | 64 | N/A | N/A | No |
| V2250 | A5081A | PA-8200 | 01-Mar-98 | 01-Jul-00 | 5 years after obsolescence date | 64 | 64 | N/A | N/A | No |
| V2500 | A5074A | PA-8500 | 01-Dec-98 | 01-Jan-01 | 5 years after obsolescence date | 64 | 64 | N/A | N/A | No |
| V2600 | A5824A | PA-8600 | 01-Dec-99 | 01-Dec-01 | 5 years after obsolescence date | 64 | 64 | N/A | N/A | No |
| EPS 40 | | PA-8200/ V2200 | 01-Feb-98 | TBD | 5 years after obsolescence date | N/A | N/A | N/A | N/A | No |

HP 9000 Superdome—both HP 9000 and Integrity Superdome servers are covered under solution product A5200A

HP 9000 Superdome Server specifics with introduction and obsolescence dates (last date server offered for sale).

All models run HP-UX 11i v1—in 64-bit mode only—v2 (B.11.23) and v3 (B.11.31).

No model runs HP-UX 11i v2 (B.11.22) or 11.0.

Further service extensions are possible beyond the minimum support commitment⁴

| Cabinet product | Cabinet capacity | Cabinet intro date | Chipset | Cell board | Chipset-cell board intro | Chipset-cell board obsolescence date | Processor name | Processor product | Processor intro date | Processor obsolescence date—off CPL | Minimum support commitment |
|-----------------|------------------|--------------------|---------------------|---|--------------------------|--------------------------------------|----------------------------------|---------------------|----------------------|-------------------------------------|---------------------------------|
| A6113A | 16 processors | 01-Aug-00 | Yosemite | A5206A | 01-Aug-06 | 1-Sep-02 | 4 xPA-8600 552 MHz processor | A6161A Right to use | 01-Aug-00 | 01-Sep-02 | 5 years after obsolescence date |
| A5201A | 32 processors | 01-Aug-00 | | A6445A | 01-Aug-01 | 1-Nov-04 | 4 xPA-8700 750 MHz processor | A6441A Right to use | 01-Aug-01 | 01-Nov-04 | |
| A5202A | 64 processors | 01-Aug-00 | | A6862A | 17-Jun-02 | 1-Apr-06 | 4 xPA-8700+ 875 MHz processor | A6885A Right to use | 17-Jun-02 | 01-Apr-06 | |
| A6113A | 16 processors | 01-Aug-00 | sx2000 Arches | A9837A | 01-Feb-06 | 1-Nov-10 | PA-8900 | A9853A | 01-Feb-07 | 01-Jan-10 | 5 years after obsolescence |
| A5202A | 64 processors | 01-Aug-00 | | | | | | | | | |
| A6113A | 16 processors | 01-Aug-00 | sx1000 Pinnacles | A6866A sx1000 Pinnacles cell board | 01-May-05 | 1-Apr-09 | PA-8800 | AB520A | 01-Dec-04 | 01-Dec-06 | 5 years after obsolescence date |
| A5201A | 32 processors | 01-Aug-00 | | | | | | | | | |
| A5202A | 64 processors | 01-Aug-00 | | | | | PA-8900 | AB367A | 14-Feb-05 | 01-Apr-09 | 5 years after obsolescence date |

Notes

TBD means “to be determined”

“Yes” means “This version of HP-UX 11i supports the designated server”

HP-UX 11i v2 and v3 supports only the 64-bit version of the HP-UX kernel N/A means “not applicable”

Revision history

| Date | Details of change |
|--------|--|
| Oct-14 | Updated PVS without SE info on v1,v2. Updated EOSL date on v3. |
| Mar-14 | Added Mar-14 update release. Updated obsolescence date for cx2620 Telecom, rx2660, rx3600, rx6600, and rx8640. |
| Jun-13 | Updated end-of-sale and end-of-support dates for HP-UX 11i v3 on HP Integrity servers, updated obsolescence date for BL8x0c i2 servers. |
| Dec-12 | Added new server details for BL8x0c i4, rx2800 i4, and SD2 |
| Aug-12 | Added Mar-12 and Sept-12 update releases Added the footnote on page 2 that PVS with SE will be offered for HP-UX 11i v1 and 11i v2 for the period 01-Jan-14 to 01-Dec-15 Removed column "chipset-cell board obsolescence date" from HP Integrity Superdome table. Updated processor obsolescence date—off CPL date for SD1 to be 30-Sep-12 |
| Feb-12 | Updated end-of-support dates for HP-UX 11i v1 and HP-UX 11i v2 to 31-Dec-2015 |
| Dec-11 | Added product numbers AH234A, AH235A to rx2660 Updated Sept-11 as the latest HP-UX 11i v3 fusion release on HP 9000 and HP Integrity |
| Nov-11 | Updated end-of-sale and end-of-support dates for HP-UX 11i v3 on Integrity Updated minimum support commitment dates for HP Integrity and HP 9000 Servers FINAL End of Support Life (EOSL) or End of Contract Availability (ECA) information for Integrity and HP 9000 removed. |
| Aug-11 | Updated 32s SD2 |
| Jul-11 | Updated availability of HP-UX 11i v3 fusion release versions Sep-10 and Mar-11. Updated HP-UX 11i v3 end-of-sale date Added rx2800 i2 and SD2 as supported servers Added details to processor specs for BL8x0c, BL8x0c i2, rx2660, and rx3600 |
| Mar-11 | Updated end-of-factory support date for HP-UX 11i v3 |
| Oct-10 | Updated obsolescence date for BL60p Updated end-of-support dates for the following servers: D250, D260, D270, D280, D350, D360, D370, D380, D390, R380, R390, L1000, L2000, L3000, rp5400, rp5450, N4000, rp7400, rp7420, rp8420, BL60p, cx2620, and Integrity Superdome |
| May-10 | HP-UX 11i v3 end-of-sale date extended two years to 31-Dec-14 |
| Apr-10 | Integrity BL860c, BL870c, and BL890c i2 blade servers added—Tukwila-based Integrity servers |
| Mar-10 | HP-UX Mar-10 update release added to HP-UX 11i v3 |
| Nov-09 | HP 9000 N4000 part #s A3639A/A3639B corrected: HP-UX 11.23 (Version 2) is supported rp3410 and rp3440: support until date extended to 31-Dec-14 Integrity rx7640, rx8640 obsolescence date now 31-Mar-12; support until date 31-Mar-17 Montvale Superdome obsolescence date now 30-Sept-12, support until date 30-Sept-17 rx1600, rx1620, and rx2620—extended support until 31-Dec-14 HP-UX added the Sept-09 update release for HP-UX 11i v3 |
| Jul-09 | Integrity BL860c and BL870c obsolescence now 30-Jun-11 with "support at least until" 30-Jun-16 (Montvale) rx2660, rx3600, rx6600, rx7640, rx8640, and Superdome obsolescence 31-Dec-11, support until 31-Dec-16 |

Sign up for updates

hp.com/go/getupdated



Share with colleagues



Rate this document

© Copyright 2013-2014 Hewlett-Packard Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Itanium and Intel Itanium are trademarks of Intel Corporation in the U.S. and other countries

4AA4-7673ENW, October 2014, Rev. 2

